JUL 1 5 2014

Page 1 of 4

B. 510(k) SUMMARY (as required by 21 CFR 807.92)

Aesculap Optilene Nonabsorbable Surgical Suture

July 3, 2014

COMPANY: Aesculap[®], Inc.

3773 Corporate Parkway Center Valley, PA 18034

Establishment Registration Number: 2916714

CONTACT: Kathy A. Racosky

610-984-9291 (phone) 610-791-6882 (fax)

kathy.racosky@aesculap.com

TRADE NAME: Aesculap Optilene Nonabsorbable Suture

COMMON NAME: Nonabsorbable polypropylene/polyethylene surgical suture

CLASSIFICATION: Class II

CLASSIFICATION NAME: Suture, Nonabsorbable, Synthetic, Polypropylene

REGULATION NUMBER: 878.5010 **PRODUCT CODE:** GAW

SUBSTANTIAL EQUIVALENCE

Aesculap[®], Inc. believes that the Optilene Nonabsorbable Polypropylene/Polyethylene Surgical Suture is substantially equivalent to:

- Premilene Nonabsorbable Polypropylene Surgical Suture, Aesculap Inc. (K980703)
- Prolene Polypropylene Nonabsorbable Surgical Suture, Ethicon Inc. (N16374)
- USS Polypropylene Suture, United States Surgical (K050947/K010909/K954808)

The Optilene Nonabsorbable Polypropylene/Polyethylene Surgical Suture pledget is substantially equivalent to:

• PremiCron Nonabsorable PET Surgical Suture, Aesculap Inc. (K012201)

DEVICE DESCRIPTION

Optilene is a nonabsorbable monofilament surgical suture which is supplied sterile. Optilene is composed of 95% polypropylene and 5% polyethylene. The Optilene suture will be offered dyed with the FDA approved colorant [Phthalacyaninato(2-)] copper in accordance with Title 21 CFR, §74.3045. The Optilene suture will be offered in diameters ranging from USP size 10-0 through 0 and with be available in a variety of cut lengths with or without needles attached. The Optilene sutures will also be offered with or without pledgets composed of 100% polytetrafluorothylene (PTFE). The pledgets are also available separately packaged six per pouch.

Page 2 of 4

INDICATIONS FOR USE

Optilene Nonabsorbable Polypropylene/Polyethylene Surgical sutures are indicated for use in all types of general soft tissue approximation and/or ligation, including use in cardiovascular, ophthalmic, microsurgery and neural tissue.

TECHNOLOGICAL CHARACTERISTICS(compared to Predicate(s))

As established in this submission, the Aesculap Optilene suture is a synthetic nonabsorbable monofilament surgical suture offered dyed in the same range of diameters and cut lengths that are substantially equivalent to other predicate devices cleared by FDA. The subject device is shown to be substantially equivalent and has the same technological characteristics to its predicate devices through comparison in design, intended use, material composition, function and range of sizes.

Please see attached Substantial Equivalence table comparing the Optilene Nonabsorbable Polypropylene/Polyethylene Suture to the predicate devices.

PERFORMANCE DATA

As recommended by the FDA's Class II Special Control Guidance Document for Surgical Sutures, including mechanical testing in accordance to USP 35 and biocompatibility testing in accordance to ISO 10993-1 has been performed to demonstrate that the Optilene Nonabsorbable Suture is substantially equivalent to other predicate devices.

Tests were conducted for diameter, tensile strength, and needle attachment. All specifications were met. Biocompatibility testing within this submission includes the following: Cytotoxicity, Sensitization, Intracutaneous Irritation, Hemolysis, Genotoxicity – Mouse Lymphoma, Mouse Peripheral Blood Micronucleus, Bacterial Reverse Mutation and Muscle Implantation (12-week).

Testing demonstrated that the device is as safe, as effective, and performs as well as the predicate devices.

Additional chemical characterization testing and a biological risk assessment were conducted in order to evaluate the chemical equivalency of the polypropylene/polyethylene raw material. The results of this testing demonstrate that the Optilene Nonabsorbable Suture is substantially equivalent to the predicate devices.

The Optilene Nonabsorbable Suture is blister packed and sterilized by ethylene oxide. Accelerated aging data for the Optilene Nonabsorbable Suture has been generated to support this submission.

Page 3 of 4

	Aesculap, Inc. Optilene Nonabsorbable Suture	Aesculap, Inc. Premilene Nonabsorbable Suture	USS Folypropylene Nonabsorbable Suture	Protene Potypropylene Nonabsorbable
K#	Pending	K980703	K050947/K010909/K954808	N16374
Indications	Indicated for use in all types of	Indicated for use in all types of	Indicated for use in general soft	Indicated for use in general soft
	general soft tissue	general soft tissue	tissue approximation and/or	tissue approximation and/or
	approximation and/or ligation,	approximation and ligation,	ligation, including use in	ligation, including use in
	including use in cardiovascular,	including use in cardiovascular,	cardiovascular, ophthalmic,	cardiovascular, ophthalmic,
	ophthalmic, microsurgery and	ophthalmic, microsurgery and	and neurological surgery.	and neurological surgery.
	neural tissue.	neural tissue.		
Material	95% polypropylene and 5%	Polypropylene	Polypropylene and	Polypropylene
Dved, Un-dved	Dved	Un-dved and Dved	Un-dved and Dved	Un-dved and Dved
Colorant	[Phthalacvaninato(2-)] copper	[Phthalacvaninato(2-)] copper	Copper phthalocvanine, CI	Copper phthalocyanine, Cl
			74160	74160
Structure	Monofilament	Monofilament	Monofilament	Monofilament
Size	10-0 through 0 (various	11-0 through 2 (various	10-0 through 2 (various	10-0 through 1 (various
	lengths)	(engths)	lengths)	lengths)
	with or w/out needles attached	with or w/out needles attached	with or w/out needles attached	with or w/out needles attached
	will of would predgets attached		with or wout predgets attached	אונוו טו איטמו חוכתבכום מוומבוזכת
Physical: - Diameter	All characteristics meet USP	All characteristics meet USP	All characteristics meet USP	All characteristics meet USP
- Length	Requirements.	Requirements	Requirements, except for	Requirements
- Needle			diameter.	
Attachment				
Needles	300-series stainless steel	300 or 455 series stainless steel	300-series stainless steel	300-series stainless steel and
-				tungsten-rhenium
Pledgets	polytetrafluoroethylene	N/A	polytetrafluoroethylene	polytetrafluoroethylene
Packaging	Oval HDPE support with an	Oval HDPE support with an	Foil packaging in a second	Oval HDPE support with an
	oval card fold card lid in a	oval card fold card lid in a	outer peel-pack with paper and	oval card fold card lid in a
	tyvek peel pouch and polyester-	tyvek peel pouch and polyester-	plastic film	tyvek peel pouch and polyester-
Canalination	Dely cuity fellor optiatalate tilling.	Estrationa Quido (EQ)	Colored Consider (CO.)	Estratora Orrida (EO)
Sternization	Eulylene Oxide (EO)	Emylene Oxlue (EO)	Euryreine Oxide (EO)	culyielle Oxide (EO)

Page 3 of 4

	Aesculap, Inc.	Aesculap, Inc.
	Optilene Nonabsorbable Suture	PremiCron Nonabsorbable Suture
K#	Pending	K980703
Indications	Indicated for use in all types of general soft tissue	Indicated for use in all types of general soft tissue
	approximation and/or ligation, including use in	approximation and ligation, including use in
	cardiovascular, ophthalmic, microsurgery and neural	cardiovascular, ophthalmic, microsurgery and neural
	tissue.	tissue.
Material	95% polypropylene and 5% Polyethylene	poly(ethylene terephthalate)
Dyed, Un-dyed	Dyed	Un-dyed and Dyed
Colorant	[Phthalacyaninato(2-)] copper	D&C Green no. 6
Structure	Monofilament	Multifilament
Size	10-0 through 0 (various lengths)	8-0 through 5 (various lengths)
	with or w/out needles attached	with or w/out needles attached
	with or w/out pledgets attached	with or w/out pledgets attached
Physical:		
- Diameter	All characteristics meet USP Requirements.	All characteristics meet USP Requirements
- Length		
- Needle Attachment		
- Tensile Strength		
Needles	300-series stainless steel	300 or 400 series stainless steel
Pledgets	polytetrafluoroethylene	polytetrafluoroethylene
Packaging	Oval HDPE support with an oval card fold card lid in a	Oval HDPE support with an oval card fold card lid in a
	tyvek peel pouch and polyester-polyethylenerephatalate	tyvek peel pouch and polyester-polyethylenerephatalate
	film,	film.
Sterilization	Ethylene Oxide (EO)	Ethylene Oxide (EO)
	carry carry (ac)	(===)

DEPARTMENT OF HEALTH & HUMAN SERVICES





Food and Drug Administration 10903 New Hampshire Avenue Document Control Center - WO66-G609 Silver Spring, MD 20993-0002

July 15, 2014

Aesculap[®] Incorporated Ms. Kathy A. Racovsky Senior Regulatory Affairs Specialist 3773 Corporate Parkway Center Valley, Pennsylvania 18034

Re: K133890

Trade/Device Name: Aesculap Optilene Nonabsorbable Surgical Suture

Regulation Number: 21 CFR 878.5010

Regulation Name: Nonabsorbable polypropylene surgical suture

Regulatory Class: Class II Product Code: GAW Dated: June 11, 2014 Received: June 12, 2014

Dear Mr. Racovsky:

We have reviewed your Section 510(k) premarket notification of intent to market the device referenced above and have determined the device is substantially equivalent (for the indications for use stated in the enclosure) to legally marketed predicate devices marketed in interstate commerce prior to May 28, 1976, the enactment date of the Medical Device Amendments, or to devices that have been reclassified in accordance with the provisions of the Federal Food, Drug, and Cosmetic Act (Act) that do not require approval of a premarket approval application (PMA). You may, therefore, market the device, subject to the general controls provisions of the Act. The general controls provisions of the Act include requirements for annual registration, listing of devices, good manufacturing practice, labeling, and prohibitions against misbranding and adulteration. Please note: CDRH does not evaluate information related to contract liability warranties. We remind you; however, that device labeling must be truthful and not misleading.

If your device is classified (see above) into either class II (Special Controls) or class III (PMA), it may be subject to additional controls. Existing major regulations affecting your device can be found in the Code of Federal Regulations, Title 21, Parts 800 to 898. In addition, FDA may publish further announcements concerning your device in the <u>Federal Register</u>.

Please be advised that FDA's issuance of a substantial equivalence determination does not mean that FDA has made a determination that your device complies with other requirements of the Act or any Federal statutes and regulations administered by other Federal agencies. You must comply with all the Act's requirements, including, but not limited to: registration and listing (21 CFR Part 807); labeling (21 CFR Part 801); medical device reporting (reporting of medical device-related adverse events) (21 CFR 803); good manufacturing practice requirements as set

forth in the quality systems (QS) regulation (21 CFR Part 820); and if applicable, the electronic product radiation control provisions (Sections 531-542 of the Act); 21 CFR 1000-1050.

If you desire specific advice for your device on our labeling regulation (21 CFR Part 801), please contact the Division of Industry and Consumer Education at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm. Also, please note the regulation entitled, "Misbranding by reference to premarket notification" (21CFR Part 807.97). For questions regarding the reporting of adverse events under the MDR regulation (21 CFR Part 803), please go to

http://www.fda.gov/MedicalDevices/Safety/ReportaProblem/default.htm for the CDRH's Office of Surveillance and Biometrics/Division of Postmarket Surveillance.

You may obtain other general information on your responsibilities under the Act from the Division of Industry and Consumer Education at its toll-free number (800) 638-2041 or (301) 796-7100 or at its Internet address

http://www.fda.gov/MedicalDevices/ResourcesforYou/Industry/default.htm.

Sincerely yours,

David Krause -S

for Binita S. Ashar, M.D., M.B.A., F.A.C.S.
Director
Division of Surgical Devices
Office of Device Evaluation
Center for Devices and
Radiological Health

Enclosure

DEPARTMENT OF HEALTH AND HUMAN SERVICES Food and Drug Administration

Indications for Use

Form Approved: OMB No. 0910-0120 Expiration Date: January 31, 2017 See PRA Statement below.

510(k) Number (if known)		
K133890		
Device Name		
Aesculap Optilene Nonahsorbable Surgical Suture		
ndications for Use (Describa)		
Optilene Nonabsorbable Polypropylene/Polyethylene Surgical		
issue approximation and/or ligation, including use in cardiovas	scular, ophthalmic, microsurgery and neural tissue.	
Type of Use (Select one or both, as applicable)		
☑ Prescription Use (Part 21 CFR 801 Subpart D)	Over-The-Counter Use (21 CFR 801 Subpart C)	
PLEASE DO NOT WRITE BELOW THIS LINE - CONTINUE ON A SEPARATE PAGE IF NEEDED.		
FOR FDA USE ONLY		
Concurrence of Center for Devices and Radiological Health (CDRH) (Signature)		
Peter L. Hudson -S		
reter L. Muuson -3		

This section applies only to requirements of the Paperwork Reduction Act of 1995.

DO NOT SEND YOUR COMPLETED FORM TO THE PRA STAFF EMAIL ADDRESS BELOW.

The burden time for this collection of information is estimated to average 79 hours per response, including the time to review instructions, search existing data sources, gather and maintain the data needed and complete and review the collection of information. Send comments regarding this burden estimate or any other aspect of this information collection, including suggestions for reducing this burden, to:

Department of Health and Human Services Food and Drug Administration Office of Chief Information Officer Paperwork Reduction Act (PRA) Staff PRAStaff@tda.hhs.gov

"An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB number."